


Order no.: 154347


**Mobile scaffolding,
0.75 × 1.80 m, with
chassis bar. Platform
height 3,26 m**




Accessories for the product family




Order no.: 027992
Safety railing for mobile scaffolding




Order no.: 027905
Push-fit frame, 0.75 m. Height: 1.00 m




Order no.: 027904
Push-fit frame, 0.75 m. Height: 2.00 m




Order no.: 027918
Push-fit frame, 0.75 m. Height: 0.5 m




Order no.: 027955
Railing lengthwise 1,800 mm




Order no.: 027931
Platform with trapdoor For scaffolding length: 1.8 m




Order no.: 027913
Toe board front side For scaffolding width: 0.75 m




Order no.: 027943
Toe board long side For scaffolding length: 1.8 m




Order no.: 027937
Diagonal brace 1.8 m




Order no.: 027935
Horizontal strut For scaffolding length: 1.8 m




Order no.: 027923
Chassis bar 2 m



Order no.: 027917
Swivel castor with spindle height adjustable Ø 200 mm




Order no.: 027940
Step-on bracket



Order no.: 027912
Ballast weight with hanging brackets RAL 1021




Order no.: 019081
Clip tray for tubes Ø 50 mm




Order no.: 027920
Wall spacer adjustable up to 1.0 m




Order no.: 070506
Frame extension can be clamped on Adjustment range max. 400 mm




Order no.: 019274
Storage tray 500 x 220 mm Clamping range 38-51 mm




Order no.: 019276
Storage tray 800 x 300 mm Clamping range 38-51 mm




Order no.: 019175
Inspection sticker 40 x 40 mm




Order no.: 019176
Inventory sticker




Order no.: 070507
Safety door on front side Push-fit frame 0.75



Order no.: 070505
Scaffolding connector set For scaffolding width: 0.75 m



Order no.: 019136
Spring clip for mobile scaffolding with short pin, closed



Order no.: 070524
Scaffolding strut telescopic 1,700-2,500 mm



Order no.: 027104

Height-adjustable
spindle



Order no.: 027922

Swivel castor with
spindle, non-
marking grey
height adjustable
Ø 200 mm



Order no.: 027921

Swivel castor with
spindle,
electrically
conductive height
adjustable Ø 200
mm



Order no.: 027958

Swivel castor Ø
200 mm With
parking brake and
pin