


Order no.: 155348


**Mobile scaffolding,
0.75 × 2.45 m, with
outrigger. Platform
height 3,07 m**




Accessories for the product family




Order no.: 027993
Safety railing for mobile scaffolding




Order no.: 027904
Push-fit frame, 0.75 m. Height: 2.00 m




Order no.: 027918
Push-fit frame, 0.75 m. Height: 0.5 m




Order no.: 027956
Railing lengthwise 2,450 mm




Order no.: 027910
Platform with trapdoor For scaffolding length: 2.45 m




Order no.: 027913
Toe board front side For scaffolding width: 0.75 m




Order no.: 027914
Toe board long side For scaffolding length: 2.45 m



Order no.: 027908
Diagonal brace 2.45 m



Order no.: 027907
Horizontal strut For scaffolding length: 2.45 m



Order no.: 027926
Triangular outrigger



Order no.: 027917

Swivel castor with spindle height adjustable Ø 200 mm




Order no.: 027940

Step-on bracket



Order no.: 027912

Ballast weight with hanging brackets RAL 1021



Order no.: 019081

Clip tray for tubes Ø 50 mm



Order no.: 027920

Wall spacer adjustable Adjustable up to 1.0 m



Order no.: 070506

Frame extension can be clamped on Adjustment range max. 400 mm



Order no.: 019274

Storage tray 500 x 220 mm Clamping range 38-51 mm



Order no.: 019276

Storage tray 800 x 300 mm Clamping range 38-51 mm



Order no.: 019175

Inspection sticker 40 x 40 mm



Order no.: 019176

Inventory sticker



Order no.: 070507

Safety door on front side Push-fit frame 0.75



Order no.: 070505

Scaffolding connector set For scaffolding width: 0.75 m



Order no.: 019136

Spring clip for mobile scaffolding with short pin, closed



Order no.: 019137

Spring clip for mobile scaffolding with long pin, open



Order no.: 070520

Scaffolding strut telescopic 2,120-3,400 mm



Order no.: 027104

Height-adjustable
spindle



Order no.: 027922

Swivel castor with
spindle, non-
marking grey
height adjustable
Ø 200 mm



Order no.: 027921

Swivel castor with
spindle,
electrically
conductive height
adjustable Ø 200
mm



Order no.: 027958

Swivel castor Ø
200 mm With
parking brake and
pin



Order no.: 027905

Push-fit frame,
0.75 m. Height:
1.00 m