


Order no.: 115248


## Folding scaffolding 1.35 x 1.80 m with outrigger Platform height 5.16 m




### Accessories for the product family




Order no.: 027992  
Safety railing for mobile scaffolding




Order no.: 027972  
Folding frame unit, 1.35 m For scaffolding length: 1.8 m




Order no.: 027902  
Push-fit frame, 1.35 m. Height: 1.00 m




Order no.: 027901  
Push-fit frame, 1.35 m. Height: 2.00 m




Order no.: 027955  
Railing lengthwise 1,800 mm




Order no.: 027931  
Platform with trapdoor For scaffolding length: 1.8 m




Order no.: 027932  
Platform without flap For scaffolding length: 1.8 m

















Order no.: 027911  
Toe board front side For scaffolding width: 1.35 m



Order no.: 027943  
Toe board long side For scaffolding length: 1.8 m



Order no.: 027937  
Diagonal brace 1.8 m





Order no.: 019137

Spring clip for mobile scaffolding with long pin, open



Order no.: 070524

Scaffolding strut telescopic 1,700-2,500 mm



Order no.: 027104

Height-adjustable spindle



Order no.: 027922

Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921

Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027959

Swivel castor Ø 125 mm With parking brake and pin



Order no.: 027958

Swivel castor Ø 200 mm With parking brake and pin