


Order no.: 156349


**Mobile scaffolding SG  
0.75 × 3 m with  
outrigger platform  
height 3.07 m**




**Accessories for the product family**




Order no.: 027994  
Safety railing for  
mobile scaffolding




Order no.: 027904  
Push-fit frame,  
0.75 m. Height:  
2.00 m



Order no.: 027918  
Push-fit frame,  
0.75 m. Height:  
0.5 m




Order no.: 027955  
Railing lengthwise  
1,800 mm




Order no.: 027931  
Platform with  
trapdoor For  
scaffolding length:  
1.8 m



Order no.: 027913  
Toe board front  
side For  
scaffolding width:  
0.75 m



Order no.: 027943  
Toe board long  
side For  
scaffolding length:  
1.8 m



Order no.: 027937  
Diagonal brace 1.8  
m



Order no.: 027935  
Horizontal strut  
For scaffolding  
length: 1.8 m



Order no.: 027926  
Triangular  
outrigger



Order no.: 027917

Swivel castor with spindle height adjustable Ø 200 mm




Order no.: 027940

Step-on bracket



Order no.: 027912

Ballast weight with hanging brackets RAL 1021



Order no.: 019081

Clip tray for tubes Ø 50 mm



Order no.: 027920

Wall spacer adjustable Adjustable up to 1.0 m



Order no.: 070506

Frame extension can be clamped on Adjustment range max. 400 mm



Order no.: 019274

Storage tray 500 x 220 mm Clamping range 38-51 mm



Order no.: 019276

Storage tray 800 x 300 mm Clamping range 38-51 mm



Order no.: 019175

Inspection sticker 40 x 40 mm



Order no.: 019176

Inventory sticker



Order no.: 019136

Spring clip for mobile scaffolding with short pin, closed



Order no.: 019137

Spring clip for mobile scaffolding with long pin, open



Order no.: 070520

Scaffolding strut telescopic 2,120-3,400 mm



Order no.: 027104

Height-adjustable spindle



Order no.: 027922

Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921

Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958

Swivel castor Ø 200 mm With parking brake and pin



Order no.: 027905

Push-fit frame, 0.75 m. Height: 1.00 m