



Order no.: 168439


**Mobile scaffolding SG  
1.35 × 2.45 m with  
outrigger & double  
platform platform height  
4.47 m**




**Accessories for the product family**




Order no.: 027993  
Safety railing for mobile scaffolding




Order no.: 027901  
Push-fit frame, 1.35 m. Height: 2.00 m




Order no.: 027955  
Railing lengthwise 1,800 mm




Order no.: 027931  
Platform with trapdoor For scaffolding length: 1.8 m




Order no.: 027932  
Platform without flap For scaffolding length: 1.8 m




Order no.: 027911  
Toe board front side For scaffolding width: 1.35 m




Order no.: 027943  
Toe board long side For scaffolding length: 1.8 m



Order no.: 027937  
Diagonal brace 1.8 m



Order no.: 027935  
Horizontal strut For scaffolding length: 1.8 m



Order no.: 027926  
Triangular outrigger



Order no.: 027917

Swivel castor with spindle height adjustable Ø 200 mm




Order no.: 027940

Step-on bracket



Order no.: 027912

Ballast weight with hanging brackets RAL 1021



Order no.: 019081

Clip tray for tubes Ø 50 mm



Order no.: 027920

Wall spacer adjustable Adjustable up to 1.0 m



Order no.: 070506

Frame extension can be clamped on Adjustment range max. 400 mm



Order no.: 019274

Storage tray 500 x 220 mm Clamping range 38-51 mm



Order no.: 019276

Storage tray 800 x 300 mm Clamping range 38-51 mm



Order no.: 019175

Inspection sticker 40 x 40 mm



Order no.: 019176

Inventory sticker



Order no.: 070508

Safety door on front side Push-fit frame 1.35



Order no.: 070522

Scaffolding connector set For scaffolding width: 1.35 m



Order no.: 019136

Spring clip for mobile scaffolding with short pin, closed



Order no.: 019137

Spring clip for mobile scaffolding with long pin, open



Order no.: 070520

Scaffolding strut telescopic 2,120-3,400 mm



Order no.: 027104

Height-adjustable  
spindle



Order no.: 027922

Swivel castor with  
spindle, non-  
marking grey  
height adjustable  
Ø 200 mm



Order no.: 027921

Swivel castor with  
spindle,  
electrically  
conductive height  
adjustable Ø 200  
mm



Order no.: 027958

Swivel castor Ø  
200 mm With  
parking brake and  
pin



Order no.: 027902

Push-fit frame,  
1.35 m. Height:  
1.00 m