







Order no.: 167111

**Mobile scaffolding SG
1.35 × 2.45 m with
inclined ascents
platform height 2.51 m**




Accessories for the product family







Order no.: 027930
Platform without flap For scaffolding length: 2.45 m




Order no.: 027911
Toe board front side For scaffolding width: 1.35 m




Order no.: 027914
Toe board long side For scaffolding length: 2.45 m




Order no.: 027963
Inclined ascent below For stair scaffolding For scaffolding length: 2.45 m




Order no.: 027967
Top handrail for mobile scaffolding with inclined ascent For scaffolding length: 2.45 m




Order no.: 027908
Diagonal brace 2.45 m




Order no.: 027907
Horizontal strut For scaffolding length: 2.45 m



Order no.: 027917
Swivel castor with spindle height adjustable Ø 200 mm




Order no.: 027940
Step-on bracket



Order no.: 027912
Ballast weight with hanging brackets RAL 1021




Order no.: 019081
Clip tray for tubes Ø 50 mm




Order no.: 027920
Wall spacer adjustable Adjustable up to 1.0 m



Order no.: 070506
Frame extension can be clamped on Adjustment range max. 400 mm



Order no.: 019274
Storage tray 500 x 220 mm Clamping range 38-51 mm



Order no.: 019276
Storage tray 800 x 300 mm Clamping range 38-51 mm



Order no.: 019175
Inspection sticker
40 x 40 mm



Order no.: 019176
Inventory sticker



Order no.: 019136
Spring clip for
mobile scaffolding
with short pin,
closed



Order no.: 070520
Scaffolding strut
telescopic 2,120-
3,400 mm



Order no.: 027104
Height-adjustable
spindle



Order no.: 027922
Swivel castor with
spindle, non-
marking grey
height adjustable
Ø 200 mm



Order no.: 027921
Swivel castor with
spindle,
electrically
conductive height
adjustable Ø 200
mm



Order no.: 027958
Swivel castor Ø
200 mm With
parking brake and
pin