


Order no.: 115244


**Folding scaffolding SG
1.35 x 1.80 m with
outrigger Platform
height 5.16 m**




Accessories for the product family




Order no.: 027992
Safety railing for mobile scaffolding




Order no.: 027972
Folding frame unit, 1.35 m For scaffolding length: 1.8 m




Order no.: 027902
Push-fit frame, 1.35 m. Height: 1.00 m




Order no.: 027901
Push-fit frame, 1.35 m. Height: 2.00 m




Order no.: 027955
Railing lengthwise 1,800 mm




Order no.: 027931
Platform with trapdoor For scaffolding length: 1.8 m




Order no.: 027932
Platform without flap For scaffolding length: 1.8 m




Order no.: 027911
Toe board front side For scaffolding width: 1.35 m




Order no.: 027943
Toe board long side For scaffolding length: 1.8 m




Order no.: 027937
Diagonal brace 1.8 m




Order no.: 027935
Horizontal strut
For scaffolding
length: 1.8 m




Order no.: 027926
Triangular
outrigger



Order no.: 027973
Swivel castor with
spindle height
adjustable Ø 125
mm




Order no.: 027940
Step-on bracket



Order no.: 027912
Ballast weight with
hanging brackets
RAL 1021




Order no.: 019081
Clip tray for tubes
Ø 50 mm




Order no.: 027920
Wall spacer
adjustable
Adjustable up to
1.0 m




Order no.: 070506
Frame extension
can be clamped on
Adjustment range
max. 400 mm




Order no.: 019274
Storage tray 500 x
220 mm Clamping
range 38-51 mm




Order no.: 019276
Storage tray 800 x
300 mm Clamping
range 38-51 mm




Order no.: 019175
Inspection sticker
40 x 40 mm




Order no.: 019176
Inventory sticker



Order no.: 019477
Automatic steel
hinge for
scaffolding folding
frame



Order no.: 019136
Spring clip for
mobile scaffolding
with short pin,
closed



Order no.: 019137
Spring clip for
mobile scaffolding
with long pin, open



Order no.: 070524

Scaffolding strut
telescopic 1,700–
2,500 mm



Order no.: 027104

Height-adjustable
spindle



Order no.: 027922

Swivel castor with
spindle, non-
marking grey
height adjustable
Ø 200 mm



Order no.: 027921

Swivel castor with
spindle,
electrically
conductive height
adjustable Ø 200
mm



Order no.: 027959

Swivel castor Ø
125 mm With
parking brake and
pin



Order no.: 027958

Swivel castor Ø
200 mm With
parking brake and
pin