


Order no.: 167100


**Mobile scaffolding,  
1.35 × 1.80 m, with  
inclined ascents.  
Platform height 2.51 m**




## Accessories for the product family




Order no.: 027992  
Safety railing for  
mobile scaffolding




Order no.: 027928  
Entry frame For  
scaffolding width:  
1.35 m




Order no.: 027901  
Push-fit frame,  
1.35 m. Height:  
2.00 m




Order no.: 027955  
Railing lengthwise  
1,800 mm




Order no.: 027970  
Platform with  
longitudinal flap  
For scaffolding  
length: 1.8 m




Order no.: 027932  
Platform without flap For scaffolding length: 1.8 m




Order no.: 027911  
Toe board front side For scaffolding width: 1.35 m




Order no.: 027943  
Toe board long side For scaffolding length: 1.8 m




Order no.: 027961  
Inclined ascent below For stair scaffolding For scaffolding length: 1.8 m




Order no.: 027939  
Top handrail for mobile scaffolding with inclined ascent For scaffolding length: 1.8 m




Order no.: 027937  
Diagonal brace 1.8 m




Order no.: 027935  
Horizontal strut For scaffolding length: 1.8 m



Order no.: 027917  
Swivel castor with spindle height adjustable Ø 200 mm




Order no.: 027940  
Step-on bracket



Order no.: 027912  
Ballast weight with hanging brackets RAL 1021




Order no.: 019081  
Clip tray for tubes Ø 50 mm




Order no.: 027920  
Wall spacer adjustable Adjustable up to 1.0 m



Order no.: 070506  
Frame extension can be clamped on Adjustment range max. 400 mm



Order no.: 019274  
Storage tray 500 x 220 mm Clamping range 38-51 mm



Order no.: 019276  
Storage tray 800 x 300 mm Clamping range 38-51 mm



Order no.: 019175  
Inspection sticker  
40 x 40 mm



Order no.: 019176  
Inventory sticker



Order no.: 070508  
Safety door on  
front side Push-fit  
frame 1.35



Order no.: 070522  
Scaffolding  
connector set For  
scaffolding width:  
1.35 m



Order no.: 019136  
Spring clip for  
mobile scaffolding  
with short pin,  
closed



Order no.: 070524  
Scaffolding strut  
telescopic 1,700-  
2,500 mm



Order no.: 027104  
Height-adjustable  
spindle



Order no.: 027922  
Swivel castor with  
spindle, non-  
marking grey  
height adjustable  
Ø 200 mm



Order no.: 027921  
Swivel castor with  
spindle,  
electrically  
conductive height  
adjustable Ø 200  
mm



Order no.: 027958  
Swivel castor Ø  
200 mm With  
parking brake and  
pin



Order no.: 027902  
Push-fit frame,  
1.35 m. Height:  
1.00 m