


Order no.: 167200


**Mobile scaffolding,  
1.35 × 1.80 m, with  
inclined ascents &  
outrigger. Platform  
height 4.47 m**




**Accessories for the product family**




Order no.: 027992  
Safety railing for mobile scaffolding




Order no.: 027928  
Entry frame For scaffolding width: 1.35 m




Order no.: 027901  
Push-fit frame, 1.35 m. Height: 2.00 m




Order no.: 027955  
Railing lengthwise 1,800 mm




Order no.: 027970  
Platform with longitudinal flap For scaffolding length: 1.8 m




Order no.: 027932  
Platform without flap For scaffolding length: 1.8 m




Order no.: 027911  
Toe board front side For scaffolding width: 1.35 m




Order no.: 027943  
Toe board long side For scaffolding length: 1.8 m



Order no.: 027961  
Inclined ascent below For stair scaffolding For scaffolding length: 1.8 m




Order no.: 027962  
Inclined ascent For stair scaffolding For scaffolding length: 1.8 m




Order no.: 027929

Handrail for mobile scaffolding with inclined ascent For scaffolding length: 1.8 m




Order no.: 027939

Top handrail for mobile scaffolding with inclined ascent For scaffolding length: 1.8 m




Order no.: 027937

Diagonal brace 1.8 m




Order no.: 027935

Horizontal strut For scaffolding length: 1.8 m




Order no.: 027926

Triangular outrigger




Order no.: 027917

Swivel castor with spindle height adjustable Ø 200 mm



Order no.: 027940

Step-on bracket




Order no.: 027912

Ballast weight with hanging brackets RAL 1021




Order no.: 019081

Clip tray for tubes Ø 50 mm




Order no.: 027920

Wall spacer adjustable Adjustable up to 1.0 m




Order no.: 070506

Frame extension can be clamped on Adjustment range max. 400 mm




Order no.: 019274

Storage tray 500 x 220 mm Clamping range 38-51 mm




Order no.: 019276

Storage tray 800 x 300 mm Clamping range 38-51 mm



Order no.: 070508

Safety door on front side Push-fit frame 1.35



Order no.: 070522

Scaffolding connector set For scaffolding width: 1.35 m



Order no.: 019136

Spring clip for mobile scaffolding with short pin, closed



Order no.: 019137

Spring clip for mobile scaffolding with long pin, open



Order no.: 070524

Scaffolding strut telescopic 1,700–2,500 mm



Order no.: 027104

Height-adjustable spindle



Order no.: 027922

Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921

Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958

Swivel castor Ø 200 mm With parking brake and pin



Order no.: 019176

Inventory sticker



Order no.: 019175

Inspection sticker 40 x 40 mm



Order no.: 027902

Push-fit frame, 1,35 m. Height: 1.00 m