MUNK
Sicherheit. Made in Germany.



Order no.: 061264

Ladder section anodised aluminium 7 rungs Anodised aluminium

Accessories for the product family



Order no.: 068239

Connecting brace Stainless steel



Order no.: 061236

Vertical ladder connector 200 mm Cast aluminium



Order no.: 068236

Vertical ladder connector 200 mm Edelstahl



Order no.: 063257

Wall anchor U-bracket, rigid Wall clearance 150 mm



Order no.: 063259

Wall anchor U-bracket, rigid Wall clearance 200 mm



Order no.: 063263

Wall anchor U-bracket, adjustable, 165–205 mm, galvanised steel 165–205 mm, galvanised steel



Order no.: 063260

Wall anchor U-bracket, adjustable, 200–275 mm, galvanised steel 200–275 mm, galvanised steel



Order no.: 063267

Wall anchor U-bracket, adjustable, 275–375mm, galvanised steel



Order no.: 063275

Wall anchor U-bracket, adjustable, 375–500 mm, galvanised steel



Order no.: 063249

Rigid wall anchor 200 mm, galvanised steel starr 200mm Stahl feuerverzinkt

MUNK
Sicherheit. Made in Germany.



Order no.: 063250

Wall anchor, adjustable, 165–205 mm, galvanised steel 165–205 hot-galvanised steel



Order no.: 063262

Wall anchor w. Clamping bracket, adjustable, 215–275 mm, galvanised steel 215-275 mm adjustment range Galvanised steel



Order no.: 063261

Wall anchor w. clamping bracket, adjustable 275–375 mm, galvanised steel 275-375 mm adjustment range Galvanised steel



Order no.: 063269

Wall anchor w. clamping bracket, adjustable 375–500 mm, galvanised steel



Order no.: 068249

Wall anchor, rigid, 200 mm, stainless steel



Order no.: 068250

Wall anchor, adjustable, 165–205 mm, stainless steel



Order no.: 068262

Wall anchor w. Clamping bracket, adjustable, 215–275 mm, stainless steel



Order no.: 068261

Wall anchor w. Clamping bracket, adjustable, 275–375 mm, stainless steel



Order no.: 063270

Special wall bracket, adjustment range 500-600mm, galvanised steel



Order no.: 063271

Special wall bracket, adjustment range 600-700mm, galvanised steel



Order no.: 063272

Special wall bracket, adjustment range 700-800mm, galvanised steel



Order no.: 063273

Special wall bracket, adjustment range 800-900mm, galvanised steel



Order no.: 064270

Special wall bracket, adjustment range 500-600mm, stainless steel



Order no.: 064271

Special wall bracket, adjustment range 600-700mm, stainless steel



Order no.: 064272

Special wall bracket, adjustment range 700-800mm, stainless steel

MUNK
Sicherheit. Made in Germany.



Order no.: 064273

Special wall bracket, adjustment range 800-900mm, stainless steel



Order no.: 063253

Ground attachment for base plate for vertical ladders galvanised steel



Order no.: 068253

Ground attachment for base plate for vertical ladders



Order no.: 063278

Wall anchor



Order no.: 061243

Exit side-rail straight Anodised aluminium



Order no.: 061049

Exit side-rail angled Anodised aluminium



Order no.: 061050

Exit side-rail with railing attachment Anodised aluminium



Order no.: 062966

Exit step bright aluminium Clearance 100 mm



Order no.: 062967

Exit step bright aluminium 150 mm clearance



Order no.: 062968

Exit step bright aluminium Clearance 200 mm



Order no.: 062969

Exit step bright aluminium Clearance 250 mm



Order no.: 062970

Exit step bright aluminium Clearance 300 mm



Order no.: 063966

Exit step galvanised steel Clearance 100 mm



Order no.: 063967

Exit step galvanised steel Clearance 150 mm



Order no.: 063968

Exit step galvanised steel Clearance 200 mm



Order no.: 063969

Exit step galvanised steel Clearance 250 mm



Order no.: 063970

Exit step galvanised steel Clearance 300 mm



Order no.: 068966

Exit step stainless steel Clearance 100 mm



Order no.: 068967

Exit step stainless steel 150 mm clearance



Order no.: 068968

Exit step stainless steel Clearance 200 mm



Order no.: 068970

Exit step stainless steel Clearance 300 mm



Order no.: 061181

Roof parapet bridge anodised aluminium 1000mm



Order no.: 061183

Roof parapet bridge anodised aluminium 1200mm



Order no.: 061184

Roof parapet bridge anodised aluminium 1280mm



Order no.: 061185

Roof parapet bridge anodised aluminium 1480mm



Order no.: 061234

Ø 700 mm back protection hoop Complete with mounting kit



Order no.: 061237

Back protection hoop lateral exit Anodised exit with mounting kit



Order no.: 061963

Back protection hoop offset design Anodised aluminium



Order no.: 070550

Access guarding Enclosure



Order no.: 063961

Transfer platform between ladder sections, Ø 700 mm Galvanised steel



Order no.: 068961

Transfer platform between ladder sections, Ø 700 mm V2A stainless steel



Order no.: 061960

Intermediate platform, folding Anodised aluminium

Order no.: 063499

Access guard can be hooked in Bright aluminium, height: 1,190 mm



Order no.: 063497

Access guard locking door



Order no.: 077530

Fall protection rail 1,40m with connecting strap, galvanised steel

Order no.: 077531

Fall protection rail 1,96m with connecting strap, galvanised steel

Order no.: 077532

Fall protection rail 2,80m with connecting strap, galvanised steel

Order no.: 077550

Fall protection rail 1,40m with connecting strap, stainless steel

Order no.: 077551

Fall protection rail 1,96m with connecting strap, stainless steel

Order no.: 077552

Fall protection rail 2,80m with connecting strap, stainless steel

Order no.: 077059

Fall protection rail 1,40m with aluminium connecting strap

Order no.: 077058

Climbing protection rail 1.96m with aluminium connecting bracket

Order no.: 077057

Climbing protection rail 2.80m with aluminium connecting bracket



Order no.: 019007

Identification plate for fall protection device for fall protection



Order no.: 019107

Identification sticker for fall protection device



Order no.: 019175

Inspection sticker 40 x 40 mm



Order no.: 019176

Inventory sticker



Order no.: 063187

Roof parapet bridge galvanised steel 2000mm



Order no.: 063496

Access guarding - end door for climbing protection



Order no.: 063279

Wall anchor U-bracket, adjustable, 550–750 mm, galvanised steel



Order no.: 063280

Wall anchor U-bracket, adjustable, 750–950 mm, galvanised steel