MUNK
Sicherheit. Made in Germany.



Order no.: 012022

# Step window cleaner’s ladder middle section

Number of steps

5

## Specification

| | | | | |
|---|---|---|---|---|
| Ladder length<br>1.55 m | Number of steps/rungs<br>5 steps | Step depth<br>80 mm | Step/Rung distance<br>263 mm | Upper outer width<br>364 mm |
| Lower outer width<br>448 mm | Inclination<br>70 ° | Depth of side-rails<br>73 mm | Width of side-rails<br>25 mm | Max. load capacity<br>150 kg |
| Design type<br>To lean against | Transport dimensions (plus packaging)<br>1643 x 460 x 95 mm, 5 kg | Business division<br>MUNK Günzburger Steigtechnik | Order no.<br>012022 | |

## Facts

- Step window cleaner's ladder made of aluminium
- Stable rectangular tube side-rails
- 80 mm deep, ribbed steps R10
- 4-fold edged step-to-side-rail connection
- Secure push-fit connection with additional hook lock
- Upper ladder with castors and abrasion-resistant contact rubber pad with wedge cut-out
- Lower ladder with nivello® stabiliser for extra stability and safe ascent (enclosed separately)

- Depending on the selection, a maximum of four individual parts can be combined, as the standing height of 5.0 m must not be exceeded
- Step spacing: 263 mm
- Ladder inclination: 70°
- Maximum load: 150 kg

## Scope of supply

- Ladder middle section: 1 x
- Instructions for use and operation: 1 x

## More product pictures





## Added value

Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



EuroTest Prize 2019

for outstanding achievements in occupational health and safety




Sponsored by BG BAU

Specification subject to conditions; for the latest information please visit the BG BAU website (statutory accident insurance company for the construction and construction related services in Germany). Since 2014, the BG BAU has been promoting the purchase of platform ladders, step stools and ladder accessories with single-sided and double-sided access. All members of the BG BAU profit from this. This aims to prevent work accidents on building sites and improve ergonomic working practices. For more information by BG BAU, please visit:
www.bgbau.de/service/angebote/arbeitsschutzpraemie

A brief overview of the subsidy and an overview of our eligible products can be found on our website under know-how.

# Corporate certifications

## Standards for quality and sustainability













