

Order no.: 019901

MaxxStep step module

Length [mm]

- 276
- 356
- 405
- 493
- 581



Specification

Product type Accessories	Length 276 mm	Width 85 mm	Height 58 mm	Step depth 80 mm
Material Aluminium	Weight 0.32 kg	Transport dimensions 273 x 85 x 53 mm, 0.32 kg	Business division MUNK Günzburger Steigtechnik	Order no. 019901
Price € 37.00				

Facts

- Suitable for rung ladders from MUNK Günzburger Steigtechnik made of aluminium and glass-fibre reinforced plastic (not for telescopic ladders)
- For ergonomic, comfortable and fatigue-free standing when working in accordance with TRBS 2121 Part 2
- Can be mounted flexibly on any rung up to the last accessible rung (not with Rung Safe R 13)

- Quick and tool-free installation thanks to double clamping screws with locking device
- Can optionally be equipped with clip-step step padding, clip-step R13 and clip-step relax
- Available in different lengths

Scope of supply

- Step module: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

