MUNK
Sicherheit. Made in Germany.



Order no.: 120001

# Mobile container with platform

Type

2 platforms half high | 2 platforms high | **Platform** | Platform and side flaps

## Specification

| | | | | |
|---|---|---|---|---|
| Product type<br>Platform | Length<br>1.2 m | Width<br>800 mm | Height<br>1.19 m | Height up to top edge of platform<br>293 mm |
| Max. load capacity<br>500 kg | Castor diameter<br>200 mm | Braking system<br>Standard | Number of levels<br>1 | Transport dimensions (plus packaging)<br>1200 x 800 x 1180 mm, 65 kg |
| Business division<br>MUNK Rettungstechnik | Order no.<br>120001 | | | |

## Facts

- Mobile container with "standard" undercarriage
- Platform made of weatherproof wooden platform board
- Universally applicable and individually expandable
- Further sizes and versions available on request
- Optionally also available with "Quadro" and "Quadro Light" undercarriage
- Series production quality equipment

- Stable and durable construction made of high-strength aluminium sections
- Platforms made of weatherproof wooden platform boards
- Ergo-Glow-Grip control unit – Continuous handlebar, oval-shaped for intuitive operation. Photoluminescent controls charge via UV radiation – for full functionality and safety even in the dark
- Robust and smooth-running actuating mechanism via flexible Bowden cable
- Two ball bearing castors Ø 200 mm with central wheel slewing arrestor for optimum handling
- Two ball bearing fixed castors Ø 200 mm with drum brake and dead man's function, resistant to dust, moisture and oil
- Foot-operated parking brake

## Scope of supply

- Mobile container: 1 x

## More product pictures







## Added value

- The following equipment features are included as standard with every mobile container in the "Standard" assortment
- Body made of high-strength aluminium screw channel profile Connection of the profiles via stable, crossover corner screw connections – no welding!
- Markings for good visibility in the dark
- 2 fixed castors Ø 200 mm with internal drum brake and dead man's function
- 2 swivel castors Ø 200 mm with directional arrestors and central wheel and slewing arrestors
- Galvanised steel foot parking brake for swivel castors
- Operating control with ergonomic and continuous handle bars with SoftGrip coating
- Robust and smooth-running actuating mechanism via high-quality stainless steel Bowden cable

MUNK
Sicherheit. Made in Germany.

# Corporate certifications

## Standards for quality and sustainability

Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022