MUNK
Sicherheit. Made in Germany.



Order no.: 115409

ML Stepped telescopic ladder

Number of steps

9 | 13

Specification

Working height max. 3.6 m	Number of steps/rungs 9 steps	Step depth 80 mm	Step/Rung distance 300 mm	Step design Steps
Retracted length 780 mm	Extended length 2.65 m	Inclination 75 °	Outer width 460 mm	Max. load capacity 150 kg
Design type To lean against	Transport dimensions (plus packaging) 780 x 460 x 100 mm, 10.5 kg	Business division MUNK Günzburger Steigtechnik	Order no. 115409	

Facts


- Aluminium telescopic step ladder
- Patented mechanism for effortless retraction of the ladder
- Air-cushioned and gentle closing to prevent pinching
- Flexible extension of the ladder as required, step by step
- Immediate visual check of the fuse
- 80 mm wide aluminium steps for a secure grip


- Rubberised wall impact protection for surface-friendly contact with walls
- Easy to fold up for compact storage
- Round aluminium uprights with a pleasant feel
- These products are covered by the statutory warranty

Scope of supply

- Ladder: 1 x
- Instructions for use and operation: 1 x

More product pictures







Added value

Easy handling

- Centrally mounted, automatically locking steel hinges for quick change of functions
- With Telesteps: Sturdy joints on folding units guarantee durability



Ratchet handles

- Easy to handle thanks to ergonomic shape
- Stable and safe thanks to steel core and aluminium cover



Large range of accessories

- The right equipment for every application
- Practical and makes work easier
- Suitable for universal use on Günzburger Steigtechnik ladders



practical and compact

- Thanks to the telescopic function, the ladders can be folded/moved together to take up minimum space when not in use
- Space-saving storage and easy transport

Flexible use

- Various application options
- Can be used as a height-adjustable step and straight ladder



Height adjustment

- The height-adjustable ladder sections are ideal for use on stairs
- Intuitive telescoping of the ladder through clearly visible levers or ratchet handles



Safe standing

- Stabilisers in optimum widths for the ladder model
- Conical construction (without stabiliser) or bevelled rubber shoes



Corporate certifications

Standards for quality and sustainability

