

Order no.: 070987

Rigid climbing aid with castors



Number of steps

- 2
- 3
- 4
- 5

Specification

Platform height 400 mm	Top surface depth 300 mm	Top surface width 550 mm	Step/Platform surface Steel grating	Non-slip class R12
Base area length 730 mm	Base area width 690 mm	Design type Rigid With castors Single-sided access	Number of steps/rungs 2 steps	Max. load capacity 150 kg
Material Aluminium Galvanised steel	Transport dimensions 610 x 682 x 400 mm, 11.5 kg	Business division MUNK Günzburger Steigtechnik		

Facts

- Aluminium climbing aid
- Sturdy, welded bar design
- 220 mm deep steps made of steel grating ensuring a secure footing
- Top tread surface: 550 x 300 mm
- Two lifting castors for easily moving to new locations (enclosed separately)
- Non-slip plastic shoes
- Step spacing 200 mm

Description

The rigid climbing aid with castors is the perfect solution for dynamic locations in the stable. Thanks to the steel grating (R12) as a tread, it offers maximum grip and is non-slip even on dirty or wet surfaces. Two integrated lifting castors enable easy transport – ideal for changing locations in stables or on tournament grounds.

Advantages at a glance

- Maximum load: 150 kg
- **Maximum mobility:** The practical castors allow for effortless movement between different locations without impairing stability.
- **Robust quality:** Zinc-plated steel steps and a stable tubular construction guarantee durability and reliability, even during intensive use.
- **Ergonomic working:** Sophisticated step spacing and generous platforms (550 x 300 mm) ensure comfort and safety when mounting.

Your added value

These variants of the climbing aid impress with their flexibility and stability. Whether in larger stables or in mobile operations, the climbing aid with castors helps you to work efficiently while promoting the well-being of your horse.

Scope of supply

- Platform: 1 x
- Instructions for use and operation: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany

- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Safe working

- Handrails for safe ascent and descent
- Large-format, non-slip platforms
- Sturdy designs for secure stance



Industrial grade

- Robust design for demanding applications
- Use of high-quality and high-strength materials



Variant diversity

- Step stools with basic constructions made of aluminium rectangular tube slide-rails or steel round tube
- Welded and bolted versions
- Various step and platform designs



From small to large

- The right product for every application
- One-sided and two-sided variants



Non-slip plastic shoes

- Ensure secure stance
- High impact and abrasion resistance
- Simple replacement in the event of wear



Added ergonomics

- Integrated or retrofittable castors for easy movement from place to place
- Handles for ergonomic handling
- Foldable products for easy transport



Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

