

Order no.: 019345

## Ladder head safety device Special hook



### Specification

Product type <b>Accessories</b>	Max. load capacity <b>136 kg</b>	Width <b>185 mm</b>	Material <b>Galvanised steel</b>	Weight <b>1.9 kg</b>
Business division <b>MUNK Günzburger Steigtechnik</b>	Order no. <b>019345</b>	Price <b>€ 179.00</b>	Spare part for article no. <b>040335</b>	

### Facts

- Special suspension device for maximum safety directly on the semi-trailer
- Stable hold without slipping, wobbling or tipping over - even on uneven surfaces
- Reliable suspension hook system prevents the ladder from slipping
- Suitable for all tie bar heights (58 - 98 mm)
- Can be clamped to the side-rail infinitely variably and without tools
- 1 set = 2 items

## Scope of supply

- Ladder head protection: 2 x

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548



**Nachhaltigkeit**  
**EcoVadis**  
sustainable supply management  
CSR-Rating in Silber 2022

