



Order no.: 019107

Identification sticker for fall protection device

Specification

Outer width 170 mm	Height 95 mm	Material Plastics	Weight 0.01 kg	Transport dimensions 20 x 20 x 1 mm, 1 kg
Business division MUNK Günzburger Steigtechnik	Order no. 019107	Price € 3.00		

Facts

- Easy-to-understand identification for increased safety
- Supports compliance with safety regulations and standards
- For attachment at every entry and exit point for vertical ladders in accordance with DIN 18799-1 and DIN EN ISO 14122-4 and for vertical ladders with fall protection

Scope of supply

- Plate: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001

- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures

• und Betriebsanweisung beachten!
! gemäß den gesetzlichen Vorgaben regelmäßig prüfen.

Steigerschutz
gilt für an beruflichen Anlagen
EN 795-1:2019-05
gilt für an maschinellen Anlagen
EN ISO 14122-4:2016-10

Steigenschutz
Die persönliche Schutzausrüstung ist vorgeschrieben
nur mit geeignetem Auffanggurt und zugehörigen
Gerät benutzen
gilt nach EN 361
gilt für Steigenschutzvorrichtung GÜFA nach EN 353-1
sichere Schutzausrüstung gegen Absturz -
feste Auffanggeräte einschließlich fester Führung
Die Schutzausrüstung muss gemäß den gesetzlichen
Anforderungen mindestens einmal jährlich überprüft werden.

Montiert am: [1] [2] [3] [4] [5] [6] [7] [8] [9] [10] [11] [12] [13] [14]



MUNK GmbH
Rudolf-Diesel-Str.
89312 Günzbu.

www.steigtechni

Added value

Optimum planning

- Practical planning aids (available as [Downloads](#)) with tips for correct planning of vertical ladder systems
- Planning in close coordination with the client as well as the place and purpose of use
- Joint project planning



All [fixed ladders / vertical ladders](#) at a glance:

- [Single-flight vertical ladders](#) in accordance with DIN 18799-1/-3, DIN 14094-1 and DIN EN ISO 14122-4 (depending on the choice of standard and the situation on site at the exit, additional components such as exit steps, railings and safety doors may be required)
- DIN 18799-1: Stationary multiple-flight vertical ladders [on buildings](#)
- DIN 14094-1: Multiple-flight [emergency ladder systems \(emergency ladders\)](#).
- DIN EN ISO 14122-4: Stationary multiple-flight vertical ladders [on machinery](#).

Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

