

Order no.: 030401

Working trestle, folding



Specification

| | | | | |
|--------------------------------|----------------------------------|---|--|-----------------------------------|
| Height 815 mm | Base area width 900 mm | Base area length 730 mm | Max. load capacity 150 kg | Height adjustment rigid |
| Cover type Aluminium | Weight 5.5 kg | Transport dimensions 906 x 865 x 205 mm, 5.5 kg | Business division MUNK Günzburger Steigtechnik | Order no. 030401 |
| Price € 251.00 | | | | |

Facts

- Aluminium folding working trestle
- Stable rectangular tube side-rails
- Aluminium cover (two sections 73 mm each)
- Strong steel hinges
- Folded together only 150 mm wide
- Cross bracing with edged rectangular rungs
- High stability thanks to spreader lock with two high-strength polyester straps

- Maximum load: 150 kg

Scope of supply

- Working trestle: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

