MUNK
Sicherheit. Made in Germany.



Order no.: 052305

# Platform ladder folding and mobile

Number of steps

5 | 6 | 7 | 8 | 10 | 12 | 14

## Specification

| | | | | |
|---|---|---|---|---|
| Working height<br>3.15 m | Step design<br>Steps | Number of steps/rungs<br>5 steps | Platform included as step<br>Yes | Platform height<br>1.15 m |
| Platform length<br>650 mm | Platform width<br>600 mm | Step depth<br>80 mm | Step/Rung distance<br>235 mm | Height<br>2.19 m |
| Total length folded<br>2.75 m | Base spread<br>1.4 m | Inclination<br>70 ° | Outer width<br>650 mm | Stabiliser width<br>1 m |
| Depth of side-rails<br>73 mm | Depth of side-rails, support<br>58 mm | Width of side-rails<br>25 mm | Max. load capacity<br>150 kg | Design type<br>Freestanding \| Single-sided access \| With chassis beam |
| Transport dimensions (plus packaging)<br>2780 x 760 x 220 mm, 29 kg | Transport dimensions (plus packaging) 2<br>1005 x 225 x 200 mm, 7.56 kg | Business division<br>MUNK Günzburger Steigtechnik | Order no.<br>052305 | |

## Facts

- Platform ladder made of aluminium
- Stable rectangular tube side-rails
- 80 mm deep, ribbed steps R10

- Spacious platform with grooves for secure footing (650 x 600 mm)
- 4-fold edged step-to-side-rail connection
- With handrail on both sides, 3-sided, 1,000 mm high railing with knee and foot rails
- Folds for compact storage thanks to sturdy steel hinges
- Support part with stabilising stabiliser bar for high stability
- Integrated Ø 125 mm fixed castors with locking device for quick transportation when folded out
- nivello® ladder shoes with patented 2-axis inclination technology
- Generous sized tool tray
- Outer width: 650 mm (without stabiliser)
- Step spacing: 235 mm
- Ladder inclination: 70°
- Maximum load: 150 kg

## Scope of supply

- Ladder: 1 x
- Instructions for use and operation: 1 x

## More product pictures







## Added value

### Safe working

- Handrails for safe ascent and descent
- Large-format, non-slip platforms
- Conical side-rail guide for safe stance
- Railings and knee boards for safe access and stance



The movable ladder shoe sets new standards in stability

Learn more



### Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



### Castors

- Ergonomic and comfortable handling
- Simple movement from place to place



Sponsored by BG BAU

Specification subject to conditions; for the latest information please visit the BG BAU website (statutory accident insurance company for the construction and construction related services in Germany). Since 2014, the BG BAU has been promoting the purchase of platform ladders, step stools and ladder accessories with single-sided and double-sided access. All members of the BG BAU profit from this. This aims to prevent work accidents on building sites and improve ergonomic working practices. For more information by BG BAU, please visit:
www.bgbau.de/service/angebote/arbeitsschutzpraemien

A brief overview of the subsidy and an overview of our eligible products can be found on our website under know-how.

## Certificates



5011053.24002 - Certificate Product Safety Type approved

Valid in

DIN EN 131-7:2013
DIN EN 131-3:2018

MUNK
Sicherheit. Made in Germany.

# Corporate certifications

## Standards for quality and sustainability

Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022