MUNK
Sicherheit. Made in Germany.

Order no.: 055002

Folding steps



Number of steps

2 | 3

Specification

Working height 2.4 m	Height of the top step 420 mm	Top surface depth 205 mm	Top surface width 360 mm	Step/Platform surface Aluminium corrugated
Non-slip class R9	Number of steps/rungs 2 steps	Platform included as step Yes	Step width 360 mm	Step depth 205 mm
Base spread 540 mm	Outer width 550 mm	Max. load capacity 150 kg	Material Aluminium	Transport dimensions (plus packaging) 780 x 550 x 95 mm, 5 kg
Business division MUNK Günzburger Steigtechnik	Order no. 055002			

Facts

- Aluminium folding steps
- Stable and smooth-running folding mechanism
- Design with strong double slide-rails
- 205 mm deep steps with grooves for a secure footing

- Top tread area: 360 x 205 mm
- Easy to transport, compact storage
- Non-slip plastic shoes
- Easy to store: only 85 mm deep when folded
- Maximum load: 150 kg
- These products are covered by the statutory warranty

Scope of supply

- Step stool: 1 x

More product pictures





MUNK
Sicherheit. Made in Germany.

Added value

Industrial grade

- Robust design for demanding applications
- Use of high-quality and high-strength materials



Variant diversity

- Step stools with basic constructions made of aluminium rectangular tube slide-rails or steel round tube
- Welded and bolted versions
- Various step and platform designs



From small to large

- The right product for every application
- One-sided and two-sided variants



Non-slip plastic shoes

- Ensure secure stance
- High impact and abrasion resistance
- Simple replacement in the event of wear



Added ergonomics

- Integrated or retrofittable castors for easy movement from place to place
- Handles for ergonomic handling
- Foldable products for easy transport



Certificates



24KFP1115-01 - Test Certificate "Bauart geprüft"

Valid in

DIN EN 14183:2004 EK5/AK1 19-01:2019
PAK-ANFORDERUNG FÜR GS (PAH REQUIREMENT FOR GS) AFPS GS 2019:01 PAK

Corporate certifications

Standards for quality and sustainability

