

Order no.: 061236

Vertical ladder connector 200 mm

Material

Cast aluminium

Stainless steel



Specification

Length 200 mm	Material Die-cast aluminium	Weight 0.48 kg	Transport dimensions 205 x 60 x 25 mm, 0.48 kg	Business division MUNK Günzburger Steigtechnik
Order no. 061236	Price € 19.00	Spare part for article no. 520120	Spare part for article no. 510100	Spare part for article no. 520125
Spare part for article no. 510105	Spare part for article no. 520115	Spare part for article no. 520110	Spare part for article no. 500120	Spare part for article no. 510125
Spare part for article no. 510120	Spare part for article no. 520105	Spare part for article no. 520100	Spare part for article no. 500125	Spare part for article no. 510110
Spare part for article no. 510115	Spare part for article no. 500105	Spare part for article no. 500110	Spare part for article no. 500100	Spare part for article no. 500115

Facts

- Vertical ladder connector on the inside for connecting the vertical ladders
- Two pieces are needed per connection point of the ladder



- For simple and safe connection of vertical ladders
- Connecting elements for maximum stability

Scope of supply

Ladder connection: 1 x

Installation material: 1 x

Assembly instructions: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Optimum planning

- Practical planning aids (available as <u>Downloads</u>) with tips for correct planning of vertical ladder systems
- Planning in close coordination with the client as well as the place and purpose of use
- Joint project planning



All fixed ladders / vertical ladders at a glance:

- Single-flight vertical ladders in accordance with DIN 18799-1/-3, DIN 14094-1 and DIN EN ISO 14122-4 (depending on the choice of standard and the situation on site at the exit, additional components such as exit steps, railings and safety doors may be required)
- DIN 18799-1: Stationary multiple-flight vertical ladders on buildings
- DIN 14094-1: Multiple-flight emergency ladder systems (emergency ladders)
- DIN EN ISO 14122-4: Stationary multiple-flight vertical ladders on machinery



Corporate certifications

on sustainability criteria









