

Order no.: 116050

## Rescue and working platform Premium



### Specification

Platform height min. 880 mm	Platform height max. 1.68 m	Platform length 1.72 m	Platform width 830 mm	Railing height 1 m
Surface Aluminium heavily corrugated	Non-slip class R13	Outer width 929 mm	Clear width 2.29 m	Compensation of floor unevenness 250 mm
Step/Rung height 28 mm	Step depth 29 mm	Number of steps/rungs 2x 3 rungs	Max. load capacity 500 kg	Material Aluminium
Weight 49 kg	Transport dimensions 1800 x 1045 x 277 mm, 49 kg	Business division MUNK Rettungstechnik	Order no. 116050	

### Facts

- Rescue platform compliant with DIN 14830
- For rescuing injured persons from trucks, buses and trains
- Can also be used as a working platform
- Sturdy structure made of aluminium
- Platform with non-slip coating (R 13)

- Non-slip and ribbed rungs
- Adjustable platform height using ergonomically shaped handles
- Sturdy locking bolts for secure locking in a grid of 265 mm
- Folding access ladders on both sides with self-locking steel hinges
- All four side-rails with side-rail extensions as standard (height compensation of max. 250 mm, locking in 30 mm increments)
- Folding railing can be used on the left or right
- Long luminescent markings for better visibility in the dark
- Platform size: 1,720 x 830 mm
- Permissible load: 500 kg

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic

- No health hazards for the users

[More product pictures](#)

---

## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548



**Nachhaltigkeit**  
**EcoVadis**  
sustainable supply management  
CSR-Rating in Silber 2022

