



Order no.: 052615

Retrofit kit clip-step for platform ladder movable

Set for ladders with number of steps

8 steps

9 steps

11 steps

Specification

| | | | | |
|---|------------------------------------|---|--|--|
| Suitable for Platform ladders | Product type Accessories | Max. load capacity 150 kg | Length 528 mm | Width 85 mm |
| Height 23 mm | Step depth 80 mm | Set for ladders with 8 steps | Number of step paddings in the set 7 pcs. | Type of non-slip protection clip-step |
| Material Plastics | Weight 1.39 kg | Transport dimensions 528 x 99 x 67 mm, 1.386 kg | Business division MUNK Günzburger Steigtechnik | Order no. 052615 |
| Price € 95.00 | | | | |

Facts

- Live up to the increased requirements on work safety and provide for optimised non-slip protection, safe footing and a comfortable stance on our step ladders
- The step padding made of grooved plastic is clipped onto the step to cover the whole surface and is custom-fit; it can be removed again without damage to the ladder and leaving no residue

- The clip-step step padding is applied up to the max. accessible step as per DIN EN 131 in the case of step ladders accessible from both sides, thus functioning as a visual check that the ladder is being used correctly
- Available as single accessory for 12.00 EUR excl. VAT per piece (recommended retail price) for your step ladders

Scope of supply

- Clip-step step padding: 7 x
- Assembly instructions: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

