



Modular work platform basic module







Module type

Basic module

2nd step

3rd step

Bridging step module

Specification

Working height 2.4 m	Platform height 400 mm	Step/Platform surface Aluminium tibial plate	Non-slip class R10	Base area length 590 mm
Base area width 650 mm	Design type rigid	Number of steps/rungs 2 steps	Step width 555 mm	Step depth 250 mm
Max. load capacity 150 kg	Material Aluminium	Transport dimensions 440 x 580 x 650 mm, 7 kg	Business division MUNK Günzburger Steigtechnik	Order no. 050410

Facts

- Welded and torsion-free aluminium design
- 250 mm deep steps made of aluminium chequered plate for a secure footing
- Non-slip plastic shoes
- Optional extension of the basic module through additional modules for a larger standing area or more steps
- Optional lifting castors for easily moving to new locations or floor mounting bracket for stationary use



- Can also be used as a walkway with access from both sides with a bridging step module
- Maximum load: 150 kg

Scope of supply

■ Platform: 1 x

Instructions for use and operation: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



More product pictures







Added value

Safe working

- Handrails for safe ascent and descent
- Large-format, non-slip platforms
- Sturdy designs for secure stance



Variant diversity

- Step stools with basic constructions made of aluminium rectangular tube slide-rails or steel round tube
- Welded and bolted versions
- Various step and platform designs



Non-slip plastic shoes

- Ensure secure stance
- High impact and abrasion resistance
- Simple replacement in the event of wear



Industrial grade

- Robust design for demanding applications
- Use of high-quality and high-strength materials



From small to large

- The right product for every application
- One-sided and two-sided variants



Added ergonomics

- Integrated or retrofittable castors for easy movement from place to place
- Handles for ergonomic handling
- Foldable products for easy transport





Sponsored by BG BAU

Specification subject to conditions; for the latest information please visit the BG BAU website (statutory accident insurance company for the construction and construction related services in Germany). Since 2014, the BG BAU has been promoting the purchase of platform ladders, step stools and ladder accessories with single-sided and double-sided access. All members of the BG BAU profit from this. This aims to prevent work accidents on building sites and improve ergonomic working practices. For more information by BG BAU, please visit:

www.bgbau.de/service/angebote/arbeitsschutzpraemien

A brief overview of the subsidy and an overview of our eligible products can be found on our website under know-how.

Certificates





Corporate certifications

Standards for quality and sustainability









