MUNK
Sicherheit. Made in Germany.



Order no.: 011112

Roof ladder, aluminium

Number of rungs

7 | 10

Specification

Ladder length 1.96 m	Number of steps/rungs 7 rungs	Step/Rung distance 280 mm	Outer width 330 mm	Depth of side-rails 90 mm
Design type For hanging	Colour version Aluminium bright	Transport dimensions (plus packaging) 1960 x 330 x 90 mm, 3.5 kg	Business division MUNK Günzburger Steigtechnik	Order no. 011112

Facts

- Suitable for all common roof coverings and roof inclinations from 22.5° to 60° according to standard DIN 4567-4
- Side-rails made of sturdy aluminium section
- Triangular rungs with powerful grooves adapted to the roof pitch for a secure footing
- Large distance between roof covering and rung to prevent damage to the roof covering
- Integrated connecting tabs for easily attaching any number of additional ladder sections
- Available in natural aluminium and four coatings (brick red, red-brown, Terra Brown RAL 8028, Anthracite Grey RAL 7016)

We reserve the right to make technical changes and price changes.

- Rung distance: 280 mm
- Ladder width: 330 mm
- Maximum load: 150 kg

Scope of supply

- Ladder: 1 x
- Instructions for use and operation: 1 x

More product pictures





Added value

Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



MUNK
Sicherheit. Made in Germany.

Corporate certifications

Standards for quality and sustainability

Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022