



Order no.: 041595

## Retrofit kit clip-step R13 for platform ladder movable

Set for ladders with number of steps

8 steps
  9 steps
  11 steps

### Specification

|   |  |  |   |                             |
|---|--|--|---|-----------------------------|
| Suitable for<br><b>Platform ladders</b> | Product type<br><b>Accessories</b>                             | Max. load capacity<br><b>150 kg</b>                          | Length<br><b>528 mm</b>                             | Width<br><b>85 mm</b>       |
| Height<br><b>23 mm</b>                  | Step depth<br><b>80 mm</b>                                     | Set for ladders with<br><b>8 steps</b>                       | Type of non-slip protection<br><b>clip-step R13</b> | Material<br><b>Plastics</b> |
| Weight<br><b>1.29 kg</b>                | Transport dimensions<br><b>528 x 100 x 60 mm,<br/>1.288 kg</b> | Business division<br><b>MUNK Günzburger<br/>Steigtechnik</b> | Order no.<br><b>041595</b>                          | Price<br><b>€ 123.00</b>    |

### Facts

- The clip-step R13 step padding is a certified, non-slip covering for our step ladders. With its plastic profile with aluminium oxide particles, the clip-step R13 step padding meets the specifications of classification group R13 and was classified as V6 for the displacement space in this classification group
- The clip-step R13 step padding is clipped onto the step to cover the whole surface and is custom-fit; it can be removed again without damage to the ladder and leaving no residue
- The clip-step R13 step padding is fitted up to the highest accessible step as defined by DIN EN 131 for step ladders accessible from both sides, functioning as a visual check that the ladder is being used correctly

- Available as single accessory for 12.00 EUR excl. VAT per piece (recommended retail price) for your step ladders

### Scope of supply

- Clip-step R13 step padding: x
- Assembly instructions: 1 x

### Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Added value

---

### Sponsored by BG BAU

Specification subject to conditions; for the latest information please visit the BG BAU website (statutory accident insurance company for the construction and construction related services in Germany). Since 2014, the BG BAU has been promoting the purchase of platform ladders, step stools and ladder accessories with single-sided and double-sided access. All members of the BG BAU profit from this. This aims to prevent work accidents on building sites and improve ergonomic working practices. For more information by BG BAU, please visit: [www.bgbau.de/service/angebote/arbeitschutzpraemien](http://www.bgbau.de/service/angebote/arbeitschutzpraemien)

A brief overview of the subsidy and an overview of our eligible products can be found on our website under [know-how](#).

## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548

