



Order no.: 114902

SafeCaddy® "Mobile fire alarm system"

Type

with loading

without loading

Specification

Tyres PU wheel (polyurethane)	Wheel diameter 260 mm	Wheel width 75 mm	Unladen weight 31 kg	Payload max. 17 kg
Perm. total weight 80 kg	Number of baskets (open) 1	Inner width basket 394 mm	Inner height basket 320 mm	Inner depth basket 258 mm
Mesh size basket 30 mm	Number of equipment boxes (closed) 1	Inner width of equipment box 398 mm	Inner height of equipment box 778 mm	Inner depth of equipment box 221 mm
Projection (equipment box open) 1.01 m	Number of compartments (open) 0	Compartments incl. aluminium box 1	Profile 30x30 mm	Business division MUNK Rettungstechnik
Transport dimensions 636 x 570 x 1147 mm, 63 kg	Order no. 114902			

Facts

- The mobile safety system
- Transport solution in anodised aluminium

Description

Get the protection you deserve with the SafeCaddy® "Mobile Fire Alarm System". Our product has been specially developed to provide you with an effective and transportable solution for

- Optimised for preventive fire protection with the help of a mobile fire alarm system
- Eye-catching design for easy recognition as a rescue tool
- The innovative advantage in every security concept
- Large mesh basket for directly accessible aids
- 1 large material box for transporting a mobile fire alarm system
- incl. aluminium box for individual equipment
- Comfortable, rubberised push handle
- Puncture-proof wide wheels made of PU, roller bearings (not blocked even after long periods of standing and always ready for use)
- 4 support feet for stable stand and pressure relief of the wheels
- Integrated lashing points for safe transport
- Simple and ergonomic operation by one person
- Fabric reinforced cover as accessory

preventive fire protection. With its high-quality equipment and outstanding performance, the SafeCaddy® is an innovative component of any safety concept.

The specifications speak for themselves: equipped with puncture-proof and wide wheels made of polyurethane (PU) as well as a roller bearing construction, the SafeCaddy® is always ready for use, even after a long period of standing. These robust wheels allow you to transport it effortlessly on different surfaces and guarantee reliable mobility in any situation.

The SafeCaddy® also offers you optimum organisation of your equipment. A large mesh basket gives you direct access to all important tools, while the spacious material box has been specially designed for the safe transport of a mobile fire alarm system. The supplied aluminium box allows individual equipment and adaptation to your specific requirements.

As a leading supplier of rescue technology, we know that your safety needs are unique. That's why we supply the SafeCaddy® "Mobile Fire Alarm System" complete with high-quality products that optimise your fire protection. From optical-acoustic alarm receivers to radio smoke detectors and radio push-button detectors to fire extinguishers - everything you need to be best prepared is included.

The SafeCaddy® has been developed not only with functionality in mind, but also with eye-catching design for easy recognition as a rescue tool. In emergency situations, every second counts, and with the SafeCaddy® you can ensure that your safety equipment is immediately at hand. The robust anodised aluminium provides a durable and stable transport solution that protects your investment.

Our goal is to provide you with the highest level of user-friendliness. The SafeCaddy® has a comfortable, rubber-coated push handle and can

be effortlessly operated by one person. Whether you need to manoeuvre it on uneven terrain or through narrow corridors, the SafeCaddy® allows you to handle it easily and ergonomically.

Scope of supply

- SafeCaddy® trolley: 1 x
- Heim MOBS Optical-Audible Alarm Receiver OAMplus V5: 1 x
- Heim MOBS Radio Smoke Detector FRM O2T V5: 8 x
- Heim MOBS Radio Push Button Detector FDM V5 red: 1 x
- Heim MOBS LAN adapter MOBS DIR LAN LTE V5: 1 x
- Powder fire extinguisher Minimax® PU 6 G: 1 x
- Carbon dioxide fire extinguisher Minimax® CS 2c: 1 x
- Case with lid: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures

Corporate certifications

on sustainability criteria

