

Order no.: 051030

# Work platform rigid R13







# Number of steps

| 1 | 2 |
|---|---|
|   |   |

3

4

5

# Specification

| Working height<br>2.2 m                              | Platform height<br>200 mm    | Top surface depth<br>300 mm | Top surface width 550 mm | Step/Platform surface<br>Perforated<br>aluminium plate |
|--|------------------------------|-----------------------------|--------------------------|--|
| Non-slip class<br>R13                                | Base area length<br>370 mm   | Base area width<br>590 mm   | Design type<br>rigid     | Number of steps/rungs<br>1 steps                       |
| Platform included as<br>step<br>Yes                  | Max. load capacity<br>150 kg | Material<br>Aluminium       | Weight<br>2.5 kg         | Transport dimensions<br>575 x 340 x 200 mm,<br>2.5 kg  |
| Business division<br>MUNK Günzburger<br>Steigtechnik | Order no.<br>051030          | Price<br>€ 260.00           |                          |  |

# **Facts**

- Aluminium work platform
- Sturdy, welded bar design
- 220 mm deep steps made of perforated aluminium cover with certified R 13 non-slip protection
- Top tread surface: 550 x 300 mm



Non-slip plastic shoes

Step spacing 200 mm

Maximum load: 150 kg

## Scope of supply

■ Platform: 1 x

Instructions for use and operation: 1 x

# Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

■ RoHS

REACH

- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

### More product pictures



#### Added value

#### Safe working

- Handrails for safe ascent and descent
- Large-format, non-slip platforms
- Sturdy designs for secure stance



#### Variant diversity

- Step stools with basic constructions made of aluminium rectangular tube slide-rails or steel round tube
- Welded and bolted versions
- Various step and platform designs



#### Non-slip plastic shoes

- Ensure secure stance
- High impact and abrasion resistance
- Simple replacement in the event of wear



#### Industrial grade

- Robust design for demanding applications
- Use of high-quality and high-strength materials



#### From small to large

- The right product for every application
- One-sided and two-sided variants



#### Added ergonomics

- Integrated or retrofittable castors for easy movement from place to place
- Handles for ergonomic handling
- Foldable products for easy transport





#### Sponsored by BG BAU

Specification subject to conditions; for the latest information please visit the BG BAU website (statutory accident insurance company for the construction and construction related services in Germany). Since 2014, the BG BAU has been promoting the purchase of platform ladders, step stools and ladder accessories with single-sided and double-sided access. All members of the BG BAU profit from this. This aims to prevent work accidents on building sites and improve ergonomic working practices. For more information by BG BAU, please visit:

www.bgbau.de/service/angebote/arbeitsschutzpraemien

A brief overview of the subsidy and an overview of our eligible products can be found on our website under know-how.



# Corporate certifications

# on sustainability criteria









