MUNK
Sicherheit. Made in Germany.



Order no.: 115480

Telescopic work platform Solid Line

Number of rungs

2x4

Specification

Working height min. 2.2 m	Working height max. 2.6 m	Number of steps/rungs 2x 4 steps	Step depth 65 mm	Step design Steps
Base area 1.96 m	Retracted length 740 mm	Extended length 880 mm	Platform height min. 510 mm	Platform height max. 880 mm
Outer width 620 mm	Stabiliser width 620 mm	Max. load capacity 150 kg	Design type Double-sided access | Freestanding	Transport dimensions (plus packaging) 740 x 470 x 285 mm, 19.5 kg
Business division MUNK Günzburger Steigtechnik	Order no. 115480			

Facts

- Original Telesteps telescopic ladder made of aluminium
- Sturdy round side-rails, anodised for abrasion resistance
- 65 mm deep steps with line profiles minimise the risk of slipping
- High-strength rung-to-side-rail connection

- Three different platform heights (0.51/0.68/0.88 m) possible
- Grooved work platform for safe standing
- Easy to transport thanks to integrated carrying handle (enclosed loose)
- Folds together compactly
- Maximum load: 150 kg
- These products are covered by the statutory warranty

Scope of supply

- Work platform: 1 x
- Instructions for use and operation: 1 x

More product pictures





Added value

Easy handling

- Centrally mounted, automatically locking steel hinges for quick change of functions
- With Telesteps: Sturdy joints on folding units guarantee durability



Ratchet handles

- Easy to handle thanks to ergonomic shape
- Stable and safe thanks to steel core and aluminium cover



Large range of accessories

- The right equipment for every application
- Practical and makes work easier
- Suitable for universal use on Günzburger Steigtechnik ladders



practical and compact

- Thanks to the telescopic function, the ladders can be folded/moved together to take up minimum space when not in use
- Space-saving storage and easy transport

Flexible use

- Various application options
- Can be used as a height-adjustable step and straight ladder



Height adjustment

- The height-adjustable ladder sections are ideal for use on stairs
- Intuitive telescoping of the ladder through clearly visible levers or ratchet handles



Safe standing

- Stabilisers in optimum widths for the ladder model
- Conical construction (without stabiliser) or bevelled rubber shoes



Certificates



Z1 070102 0014
Rev. 00 - Certificate

Valid in

PPP 52178D:2021

Corporate certifications

Standards for quality and sustainability

