

Order no.: 011163

Double-sided household stepladder



Number of steps

- 2x3** 2x4 2x5 2x6 2x7



Specification

Working height 2.64 m	Step design Steps	Number of steps/rungs 2x 3 steps	Step depth 80 mm	Type of non-slip protection Aluminium corrugated
Height 650 mm	Platform height 640 mm	Max. load capacity 150 kg	Design type Freestanding Double-sided access	Weight 3 kg
Transport dimensions 708 x 440 x 164 mm, 3 kg	Business division MUNK Günzburger Steigtechnik	Order no. 011163	Price € 142.00	

Facts

- Aluminium household ladder
- Grooved steps with a depth of 80 mm
- Non-slip ladder shoes
- Spreader lock with two high-strength polyester straps
- Approved and suitable for professional use
- Maximum load: 150 kg
- These products are covered by the statutory warranty

Scope of supply

- Ladder: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures




Added value

Quality

- Approved and suitable for professional use
- These products are covered by the statutory warranty

Note: Working heights

- National regulations (e.g. TRBS 2121 Part 2 in Germany) must be complied with with regard to the maximum working height when using the ladder as a workstation.
- Information on [TRBS 2121 Part 2](#) has been summarised on our Service page
- Read our [tips and tricks](#) on how to calculate [working height](#)



Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9109612548



Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022

